θ_1 CRUCIS ($\alpha = 11^h 58^m 0$; $\delta = -62^\circ 45'$; Magn. = 4.5;
Type = A5).

Gr. M.T.	Velocity	Measured by	Remarks
1904 Jan. 21.781	-17 km.	Palmer	III prism
1909 July 5.522	-9.7	Mrs. Moore	III prism
July 23.528	-26.0	Mrs. Moore	III prism
1910 Jan. 11.	-17.4	Mrs. Moore	
Jan. 25.	-1.4	Mrs. Moore	
Feb. 8.	-12.0	Mrs. Moore	

There are about thirty lines in the region of two-prism spectrograms available for measurement, but the lines are not sharp, and appear slightly broadened. The variability was discovered by Mrs. Moore. The period is probably short.

ξ^2 CENTAURI ($\alpha = 13^h 1^m 0$; $\delta = -49^\circ 22'$; Magn. = 4.4;
Type = B3).

Gr. M.T.	Velocity	Measured by	Remarks
1908 May 22.627	+18.9 km.	Curtis	
July 10.497	+23.9	Paddock	
"	+22.8	Olivier	
1909 July 11.525	+43.9	Moore	III prism
1910 Jan. 22.	-9.2	Moore	

This star has good lines of hydrogen, helium, carbon and magnesium. The variation in velocity was shown from the measures made by Mr. Moore.

h CENTAURI ($\alpha = 13^h 47^m 4$; $\delta = -31^\circ 26'$; Magn. = 4.8;
Type = B5).

Gr. M.T.	Velocity	Measured by	Remarks
1908 May 4.673	+17.5 km.	Paddock	
1909 Aug. 8.518	+5.8	Paddock	III prism
1910 Jan. 23.835	+24.6	Paddock	
Jan. 31.806	+19.5	Paddock	
Feb. 17.820	-7.3	Paddock	
Feb. 24.	-9.0	Paddock	

The discovery of the variation in velocity was made by Mr. Paddock. He has found the period of this binary to be about 16.7 days. The spectrum contains fair lines of hydrogen, magnesium, silicon and helium.

d LUPI ($\alpha = 15^h 29^m 0$; $\delta = -44^\circ 37'$; Magn. = 4.8;
Type = B3).

Gr. M.T.	Velocity	Measured by
1908 April 12.835	+7.9 km.	Paddock
May 3.758	+12.6	Paddock
July 3.588	+20.1	Paddock
1910 Feb. 15.	-2.1	Paddock

The spectrum contains fair lines. The discovery of the binary character of this star was made by Mr. Paddock.

J. H. MOORE.

D. O. MILLS EXPEDITION,
SANTIAGO, CHILE,
1910 March 8.

THE VARIABLE RADIAL VELOCITY OF ζ GRUIS.

The following observations show that the velocity of ζ Gruis ($\alpha = 22^h 55^m 0$; $\delta = -53^\circ 17'$; Magn. = 4.2; Type = G5) in the line of sight is variable:

Gr. M.T.	Velocity	Measured by
1904 Sept. 14.755	-8.7 km.	Wright
Oct. 28.637	-4.3	Wright
Nov. 8.624	-1.3	Wright
1905 Aug. 30.774	-8.1	Palmer
Sept. 26.600	-7.2	Albrecht
1907 July 20.901	-4.9	Paddock
Oct. 3.760	-4.3	Paddock
Nov. 14.556	+1.7	Paddock

The observations were secured by the D. O. Mills Expedition.

W. H. WRIGHT.

June, 1910.