Periastron passage	$T =$	Hel. JD 2433843.9995	± 0.0367 days
Period	$P =$	2.347016	days
Eccentricity	$e =$	0.235	± 0.007
Periastron minus node	$\omega_1 =$	152°7	$\pm 2^\circ 19$
	$\omega_2 =$	332°7	$\pm 2^\circ 19$
Systemic velocity	$V_0 =$	-18.8	± 0.65 km/sec
Semi-amplitude, primary	$K_1 =$	105.0	± 0.90 km/sec
secondary	$K_2 =$	155.7	± 1.24 km/sec
Projected masses	$m_1 \sin^3 i =$	2.37 $\odot$	
	$m_2 \sin^3 i =$	1.60 $\odot$	
Projected separation	$a \sin i =$	11.76	solar radii.

derived by least-squares from twenty-one observations outside of eclipse.

The spectrographic results are in excellent agreement with the elements deduced by Walenquist.¹ Adopting his values of $i = 88^\circ 5$, $k = 0.80$, $r_1 = 0.124$, $r_2 = 0.099$, the following absolute dimensions were computed.

	Primary Star	Secondary Star
Spectral type	A3	F5
Temperature	9800° K	6500° K
M_v	+2.16	+4.18
Luminosity	12.01 $\odot$	1.88 $\odot$
Radius	1.46 $\odot$	1.16 $\odot$
Mass	2.37 $\odot$	1.60 $\odot$
Density	0.76 $\odot$	1.01 $\odot$

An apsidal motion was suspected by Gaposchkin. Sterne's theory would indicate an apsidal motion in a period of 555 years.

1. *Medd. Astr. Obs. Upsala*, No. 96, 1949.

*Dominion Astrophysical Observatory,
Victoria, B. C.*

Piotrowski, Stefan L. The collisions of asteroids.

The subject of this paper is a statistical discussion of the probability of encounters between asteroids and an investigation of some cosmological consequences of such encounters. It is not a simple matter to evaluate the physical effects of a collision, as it is very difficult to perform the appropriate experiments under laboratory conditions. A common practice in such problems is to apply the analogy of the crushing effects of explosive charges. From such an analogy and from the rather scanty data referring to the experiments with impact velocities up to 20,000 ft/sec, it has been assumed that the amount of energy k necessary for crushing one gram of the asteroidal matter is contained between 10^7 and 10^9 ergs; the smaller of these numbers corresponds to terrestrial rocks.

Another factor of essential importance is the shape of the frequency function characterizing

the increase of the number of planetoids as their dimensions decrease. An investigation was made of the frequency distribution of diameters which would result if collisions play, or had played, significant roles in the realm of the asteroids. It appears that the frequency distribution given by the function $C(t)\rho^{-3}d\rho$ has stationary character; if the initial distribution is somewhat different from the one just described, because of collisions it will change after the time dt into a distribution less different from the $C\rho^{-3}d\rho$ law than the starting frequency of ρ 's. In the general case, for an arbitrary initial distribution of semidiameters, the function of two variables $n(R, t)$ giving the distribution of semidiameters R at time t is the solution of the integro-differential equation with partial derivatives

$$\frac{\partial n}{\partial t} = \frac{\pi V}{d} \left(\frac{1}{3s_0} \frac{\partial n}{\partial R} \int_0^{R\sqrt[3]{s_0}} \rho^3 n d\rho - n R^2 \int_{R\sqrt[3]{s_0}}^\infty n d\rho \right).$$

Here V denotes the mean relative velocity, d the volume occupied by the assembly of colliding asteroids being considered and $s_0 = 2K/V^2$. For the $C\rho^{-3}$ distribution the total amount of matter crushed in collisions during the time dt is given by the simple formula

$$\frac{dM}{dt} = -\frac{3}{2} M C s_0^{-2/3} \frac{\pi V}{d},$$

where M denotes the total mass of all asteroids.

Observational evidence for minor planets with diameters ranging from several tens of kilometers to nearly 300 km clearly confirms the ρ^{-3} law; it has been assumed that this law can be extrapolated far below the limit of ρ to which it is confirmed by direct observation. Further, the total mass of all asteroids was taken equal to 1/1000 of the earth's mass.

From the known frequency distribution of major semi-axes, eccentricities and inclinations, for different parts of the asteroid ring the