cyanogen-equivalent boundaries for each luminosity class are not precisely known, due to the relatively small number of stars measured. However, all thirteen stars with luminosities Ib or II have cyanogen equivalents greater than 0.30 mag. The probability of many stars with luminosities I or II having cyanogen equivalents less than 0.25 mag. is therefore expected to be small. The same is true for luminosity class V, where all twenty-seven stars measured have cyanogen equivalents less than 0.15 mag. A statistical search for giants with weak CN absorption would thus include essentially only high velocity giants and subgiants of unknown velocity.

Spectral classification by the conventional method of visual inspection and cyanogen equivalents by spectrophotometry can be determined for stars as faint as photographic magnitude 12.5 or 13.0 with the equipment used in this investigation. A statistical search for giants with weak CN absorption should therefore be quite feasible, provided the subgiants can be separated from the giants. A statistical separation should be possible by determination of the color indices, which differ for subgiants and giants of the same spectral class. In addition, higher resolution spectra will permit separation.

The observational material for this investigation was obtained during the summers of 1954 and 1955 at Vanderbilt University and the University of Michigan, under a National Science Foundation grant. I would like to express my appreciation to Dr. Carl Seyfert, Director of the Arthur J. Dyer Observatory, and to Dr. Leo Goldberg, Director of the University of Michigan observatories, who kindly permitted me to use their observing facilities. I would also like to express my thanks to Dr. Philip C. Keenan of Perkins Observatory, who sent me his measurements prior to publication, and to Dr. Freeman D. Miller, of the University of Michigan, who provided many helpful suggestions and much encouragement.

REFERENCES

- Gyldenkerne, K. 1955, *Ap. J.* **121**, 38.
 Jenkins, L. F. 1952, *General Catalogue of Trigonometric Stellar Parallaxes* (Yale Univ. Observatory).
 Johnson, H. L. and Morgan, W. W. 1953, *Ap. J.* **117**, 313.
 Keenan, P. C. 1941, *Ap. J.* **93**, 475.
 Keenan, P. C. and Keller, G. 1953, *Ap. J.* **117**, 241.
 Ramberg, J. M. 1941, *Stockholm Obs. Ann.* **13**, No. 9.
 Roman, N. G. 1952, *Ap. J.* **116**, 122.
 —. 1955, *Ap. J. Supp.* **2**, No. 18, 198.
 Wilson, R. E. 1953, *General Catalogue of Stellar Radial Velocities*, Carnegie Institution of Washington Pub. 601.
 Yoss, K. M. 1952, *Photometric and Spectrophotometric Techniques for the Curtis Schmidt Telescope* (Ann Arbor: University Microfilms).

MICROMETER MEASURES OF DOUBLE STARS*

BY W. H. VAN DEN BOS

Lick Observatory, University of California

Received October 1, 1957

Abstract. Results are reported of 583 measures made with the Lick 36- and 12-inch refractors.

During my stay at the Lick Observatory as Morrison Research Associate from 1957 April 15 to July 16, I had the privilege of using the 36- and 12-inch refractors for making the micrometer measures of double stars given below. Since observing conditions on Mount Hamilton were not yet at their best, on the occasions when I could use the 36-inch I often had the choice between measuring objects that could as well have been measured with the 12-inch, or of not observing at all. I have, of course, chosen the first alternative. For similar reasons, I have tried to strengthen the mean results by basing them on more than the usual number of nights, in preference to measuring more pairs on fewer nights. The few pairs measured on only one or two nights near the end of my stay were all observed under sufficiently good conditions

for the results to be deemed reasonably reliable.

In Tables I and II the columns give successively the ADS number, discoverer's symbol and number, components observed, position for 1900, date of observation as a fraction of 1957, hour angle, position angle, position of head (.. eyes parallel, : eyes perpendicular, ∴ mean of both positions), separation, estimated magnitudes, magnifying power, and seeing (1 very poor, 5 perfect). The two tables contain 311 measures of 91 pairs made with the 36-inch refractor, and 272 measures of 74 pairs made with the 12-inch refractor. They have been reduced with micrometer screw revolution values of 9".907 for the 36-inch, and of 14".059 for the 12-inch.

I wish to thank Director Shane and his staff for their kind hospitality and assistance.

* *Lick Observatory Bulletin*, No. 558.

TABLE I. DOUBLE STAR MEASURES WITH THE 36-INCH REFRACTOR

ADS	Others	Comp.	α 1900	δ	1957	t	θ	Eyes	ρ	Est. Mag.	Power	Seeing
7390	Σ 1356		$9^h 23^m 1$	$+ 9^\circ 30'$	.315	+0 ^h .7	257 ^s .1	..	0.21	6.5 - 7.0	1000	2-
					.400	+2.6	254.8	:	0.20	6.0 - 6.5	1000	3
					.411	+2.7	256.3	:	0.17	6.0 - 6.8	1500	2+
					Means	.375	256.1		0.19	6.2 - 6.8	3 nights	
7871	$O\Sigma$ 224		10 34. 5	$+ 9^\circ 22'$	.315	0.0	203.2	:	0.47	8.3 - 9.0	1000	1+
					.400	+1.3	210.4	:	0.40	8.2 - 9.0	1000	3
					.411	+2.0	204.4	:	0.42	7.8 - 8.6	1000	2+
					Means	.375	206.0		0.43	8.1 - 8.9	3 nights	
8551	A 78		12 21. 6	$- 5^\circ 2'$	.416	+0.3	105.7	..	0.32	8.0 - 8.6	1000	2
					.444	+1.0	110.6	..	0.30	7.8 - 8.5	1000	2-
					.449	+1.2	104.0	..	0.32	8.0 - 8.6	520	1
					.476	+1.7	106.2	..	0.30	8.0 - 8.6	1000	2+
					Means	.446	106.6		0.31	8.0 - 8.6	4 nights	
8800	A 1786		13 4. 2	$+ 9^\circ 20'$	.416	+0.1	95.4	..	9.07	10.0 - 11.0	520	2-
					.422	+0.9	94.8	..	8.77	9.5 - 11.0	520	2+
					.444	+0.7	95.6	..	8.89	9.2 - 10.6	520	2
					.446	+0.8	96.2	..	9.01	9.2 - 10.4	520	1-
					Means	.432	95.5		8.93	9.5 - 10.7	4 nights	
8946	A 1792		13 29. 0	$+ 9^\circ 18'$	.400	+0.2	313.9	..	0.38	8.7 - 9.5	1000	3
					.411	-0.5	316.3	..	0.50	9.0 - 10.0	1000	2+
					.416	-0.1	307.0	..	0.47	8.8 - 9.6	1000	2-
					.422	0.0	312.4	..	0.46	8.8 - 9.5	1000	2+
					Means	.412	312.4		0.45	8.8 - 9.6	4 nights	
8950	β 114		13 29. 0	$- 8^\circ 6'$	.449	+0.3	157.8	:	1.36	8.0 - 8.4	520	1
					.455	+0.1	157.1	:	1.37	7.6 - 7.8	520	1
					.460	+0.7	158.8	:	1.32	8.0 - 8.4	1000	3
					.476	+0.7	155.8	:	1.32	8.2 - 8.5	1000	2+
					Means	.460	157.4		1.34	7.9 - 8.3	4 nights	
8987	β 612		13 34. 6	$+ 11^\circ 15'$	.400	-0.9	184.6	:	0.20	6.6 - 6.6	1000	3+
					.411	-0.4	184.2	:	0.20	6.3 - 6.3	1000	2+
					.416	+0.5	181.2	:	0.24	6.2 - 6.4	1000	2
					.422	+0.8	184.3	:	0.18	6.5 - 6.2	1500	3
					Means	.412	183.6		0.20	6.4 - 6.4	4 nights	
9013	β 115		13 40. 4	$+ 9^\circ 34'$	.416	-0.1	243.5	..	1.51	8.0 - 10.6	520	2-
					.422	-0.1	241.2	..	1.53	8.0 - 11.0	1000	2+
					.444	+0.3	244.5	..	1.54	8.4 - 10.8	520	2+
					.446	+0.4	248.0	..	1.59	8.2 - 10.6	520	1
					Means	.432	244.3		1.54	8.2 - 10.8	4 nights	
9019	Σ 1781		13 41. 1	$+ 5^\circ 37'$	.416	+0.1	339.3	:	0.58	7.8 - 8.1	520	2
					.422	+0.1	336.7	:	0.69	8.0 - 8.6	1000	2+
					.444	+0.4	338.8	:	0.74	7.8 - 8.3	1000	2+
					.446	+0.6	338.5	:	0.76	7.8 - 8.2	520	1+
					Means	.432	338.3		0.69	7.8 - 8.3	4 nights	
9038	Ski	AB	13 47. 2	$- 15^\circ 40'$	.449	+0.2	339.3	:	3.53	8.8 - 10.6	520	1+
					.455	0.0	340.2	:	3.45	8.8 - 10.6	520	1
					.460	+0.8	339.6	:	3.48	9.0 - 10.5	520	3
					.476	+0.7	339.9	:	3.52	9.0 - 10.4	520	2+
					Means	.460	339.7		3.50	8.9 - 10.5	4 nights	
	AC				.449	+0.3	265.2	..	15.46	8.8 - 13.0	520	1
					.460	+0.7	265.9	..	15.35	9.0 - 13.5	520	3
					.476	+0.8	263.9	..	15.55	9.0 - 13.5	520	2+
					Means	.462	265.0		15.45	8.9 - 13.3	3 nights	

TABLE I. (continued)

ADS	Others	Comp.	α 1900 δ	1957	t	θ	Eyes	ρ	Est. Mag.	Power	Seeing
9094	β 1270		$13^{\text{h}}58^{\text{m}}8 + 8^{\circ}58'$	.400 .411 .416 .422	-0.1 -0.3 0.0 +0.2	267.5 269.0 270.6 265.6		0.15 0.18 0.22 0.19	8.4 - 8.6 8.3 - 8.5 8.4 - 8.6 8.5 - 8.7	1500 1000 1000 1500	3 2+ 2 2+
			Means	.412		268.2		0.18	8.4 - 8.6		4 nights
9137	A 1098		14 4. 9 + 8 50	.449 .460 .476	+0.4 +0.8 +0.8	253.4 253.4 253.9		3.88 3.92 4.02	9.8 -12.0 9.5 -11.0 9.5 -11.5	520 520 520	1+ 3 2+
			Means	.462		253.6		3.94	9.6 -11.5		3 nights
Misidentified in ADS; = Brt 2157 = BD +9°2853.											
9182	Σ 1819		14 10. 3 + 3 36	.455 .460 .476 .523	+0.1 +1.0 +0.8 +0.9	290.5 289.0 290.5 291.0		1.06 0.99 0.95 1.00	7.6 - 7.7 7.6 - 7.7 7.8 - 7.8 7.7 - 7.8	520 520 520 520	1+ 3+ 3 1+
			Means	.478		290.2		1.00	7.7 - 7.8		4 nights
9215	Σ 1832		14 13. 8 + 4 21	.400 .411 .416 .422	0.0 -0.4 +0.1 +0.3	143.9 138.2 146.2 142.7	: : : :	0.43 0.45 0.53 0.45	9.3 - 9.7 9.3 - 9.5 9.4 - 9.6 9.3 - 9.7	1500 1000 1000 1000	3 2 2- 3
			Means	.412		142.8		0.46	9.3 - 9.6		4 nights
9247	β 1111	BC	14 18. 5 + 8 54	.318 .334 .400 .411	+0.1 +0.1 -0.2 -0.3	177.7 175.4 181.8 178.3	: : : :	0.16 0.20 0.16 0.18	8.0 - 8.2 8.5 - 8.7 7.8 - 7.8 7.8 - 7.8	1000 1000 1500 1000	3+ 3+ 3 2
			Means	.366		178.3		0.18	8.0 - 8.1		4 nights
9254	Σ 1837		14 19. 3 -11 13	.455 .460 .476 .523	+0.3 +1.0 +0.8 +0.9	290.7 289.2 290.6 289.3		1.43 1.32 1.33 1.46	7.0 - 8.0 7.0 - 8.0 7.0 - 8.0 7.0 - 8.0	520 520 520 520	1 3+ 3 1+
			Means	.478		289.9		1.38	7.0 - 8.0		4 nights
9353	A 1109		14 37. 9 + 7 1	.400 .411 .416 .422	-0.2 -0.5 -0.1 +0.1	71.0 75.3 75.3 72.5		1.44 1.38 1.48 1.40	7.3 - 9.5 7.0 - 9.5 7.4 - 9.7 7.5 - 9.5	1000 1000 1000 1000	3 2+ 2- 3+
			Means	.412		73.5		1.42	7.3 - 9.6		4 nights
9380	Σ 1879		14 41. 4 +10 5	.416 .422 .444 .446	+0.2 +0.2 -0.3 -0.2	97.7 97.0 96.6 97.8		1.64 1.39 1.35 1.47	7.8 - 8.4 8.0 - 8.5 7.5 - 8.0 7.6 - 8.2	520 1000 520 520	2- 3+ 2 1+
			Means	.432		97.3		1.46	7.7 - 8.3		4 nights
9392	Σ 1883		14 43. 9 + 6 22	.318 .334 .400 .411	+0.1 -0.1 -0.2 -0.4	99.7 103.8 105.0 105.0		0.32 0.40 0.35 0.31	7.8 - 7.8 7.8 - 8.0 7.5 - 7.5 7.8 - 8.0	1000 1000 1000 1000	3- 3 2 2+
			Means	.366		103.4		0.34	7.7 - 7.8		4 nights
9400	A 1110		14 44. 8 + 8 24	.318 .323 .334 .400	+0.4 +0.8 0.0 0.0	248.7 253.7 247.7 252.7		0.50 0.49 0.62 0.46	7.5 - 8.0 7.5 - 8.0 7.5 - 8.0 8.0 - 8.6	1000 1000 1000 1000	2+ 4 3- 2+
			Means	.344		250.7		0.52	7.6 - 8.1		4 nights
BD -6°4124			14 58. 3 - 7 11	.446 .476	0.0 +0.4	14.3 14.3	: :	40.60 40.75	8.0 -11.5 8.3 -11.5	520 520	1 2+
			Means	.461		14.3		40.68	8.2 -11.5		2 nights

TABLE I. (continued)

ADS	Others	Comp.	α 1900 δ	1957	t	θ	Eyes	ρ	Est. Mag.	Power	Seeing
9492	Ho 391	AB	$14^{\text{h}}58^{\text{m}}8 - 6^{\circ}30'$	.449	+0.2	116.6	..	1.95	8.5 -11.5	520	2
				.455	+0.1	117.3	..	1.70	8.0 -11.5	520	1
				.460	+0.5	117.9	..	1.90	8.0 -11.8	520	3+
				.476	+0.6	117.0	..	1.88	8.5 -12.0	520	2+
				Means		117.2		1.86	8.2 -11.7	4 nights	
				.449	+0.3	306.3	..	34.23	8.5 -13.0	520	2
				.455	+0.2	306.8	..	33.59	8.0 -12.5	520	1
				.460	+0.7	306.7	..	33.54	8.0 -12.5	520	3+
				.476	+0.7	306.5	..	33.72	8.5 -12.5	520	2+
				Means		306.6		33.77	8.2 -12.6	4 nights	
9613	Σ 3093		15 17. 5 - 1 11	.446	0.0	147.4	:	25.58	8.5 - 9.5	520	1-
				.449	+0.3	147.9	:	25.61	8.5 - 9.5	520	2
				.476	+0.6	147.2	∴	25.54	9.0 -10.0	520	3
				.523	+0.2	147.5	:	25.51	8.2 - 9.6	520	1+
				Means		147.5		25.56	8.6 - 9.7	4 nights	
9636	A 18		15 21. 4 - 5 18	.411	-0.3	166.3	:	0.66	9.0 - 9.4	1000	2+
				.416	-0.1	165.1	:	0.88	9.0 - 9.5	520	1+
				.422	-0.2	165.6	:	0.80	9.0 - 9.4	1000	3+
				.444	-0.5	164.8	:	0.66	9.0 - 9.4	520	2+
				Means		165.5		0.75	9.0 - 9.4	4 nights	
9643	A 1120		15 22. 5 +10 3	.318	+0.1	322.8	:	0.24	8.5 - 9.0	1000	2+
				.323	+0.4	332.0	:	0.25	8.5 - 9.0	1000	4
				.334	-0.4	330.6	:	0.32	8.3 - 9.0	1000	2
				.400	-0.1	323.6	:	0.28	8.3 - 9.0	1500	2+
				Means		327.3		0.27	8.4 - 9.0	4 nights	
9686	A 1122	AB	15 27. 1 +10 0	.411	-0.2	357.4	:	0.35	8.4 -10.0	1000	3
				.422	+0.2	354.0	:	0.35	8.5 -10.5	1000	3
				.449	+0.4	354.4	:	0.41	8.8 -10.0	1000	2-
				.460	+0.6	356.1	:	0.33	8.5 -10.2	1000	3+
				Means		355.5		0.36	8.6 -10.2	4 nights	
9747	A 2176		15 36. 9 + 0 47	.318	+0.2	189.4	:	0.20	8.2 - 8.0	1000	3
				.323	+0.3	188.7	:	0.22	8.0 - 8.3	1000	4
				.334	-0.4	184.0	:	0.29	8.0 - 8.2	1000	2
				.400	-0.3	182.8	:	0.15	8.4 - 8.1	1500	2+
				Means		186.2		0.21	8.2 - 8.2	4 nights	
9763	A 2230		15 39. 0 + 2 50	.334	-0.2	66.0	..	4.51	6.0 -12.0	520	2-
				.400	-0.1	58.9	..	4.09	6.0 -13.0	520	3
				.411	-0.2	62.3	..	4.00	6.2 -12.5	520	4
				.422	+0.1	58.1	..	4.23	6.0 -12.0	520	4
				Means		61.3		4.21	6.0 -12.4	4 nights	
9880	$O\Sigma$ 303		15 56. 2 +13 33	.455	+0.2	162.4	:	1.41	7.6 - 7.8	520	2
				.476	+0.2	163.2	:	1.38	7.8 - 8.2	520	3+
				.523	+0.2	162.5	:	1.30	7.4 - 7.8	520	1+
				.526	+0.2	162.0	:	1.37	7.5 - 8.0	520	1+
				Means		162.5		1.37	7.6 - 8.0	4 nights	
9918	β 948		16 0. 4 - 6 1	.411	-0.2	124.0	∴	1.26	6.5 - 8.5	1000	4+
				.422	-0.1	129.5	∴	1.26	6.5 - 8.5	1000	4
				.444	-0.3	130.0	∴	1.54	6.5 - 9.0	520	2
				.446	-0.5	131.3	:	1.58	6.5 - 8.5	520	1
				Means		128.7		1.41	6.5 - 8.6	4 nights	
9932	β 949		16 3. 0 - 9 50	.449	+0.1	197.6	:	0.18	7.4 - 7.6	1000	1+
				.460	+0.2	199.9	:	0.17	7.4 - 7.6	1500	3+
				.476	+0.5	197.3	:	0.20	7.4 - 7.6	1000	2+

TABLE I. (continued)

ADS	Others	Comp.	α 1900 δ	1957	t	θ	Eyes	ρ	Est. Mag.	Power	Seeing
				.523	-0.2	197.3	:	0.19	7.4 - 7.7	1000	1+
				Means .477		198.0		0.18	7.4 - 7.6	4 nights	
9931	A 1798		16 ^h 3 ^m 3 +14°41'	.411	+0.3	65.4	..	0.25	8.5 - 8.9	1000	4
				.422	+0.3	63.7	..	0.16	8.8 - 9.2	1500	3+
				.476	+0.3	67.6	..	0.21	8.4 - 9.4	1000	3
				.526	+0.6	64.6	..	0.23	8.6 - 9.0	1000	2
				Means .459		65.3		0.21	8.6 - 9.1	4 nights	
9982	Σ 2026		16 11. 1 + 7 37	.455	+0.5	30.2	:	2.37	9.0 - 9.3	520	2
				.476	+1.0	30.0	:	2.26	8.7 - 9.1	520	2+
				.523	+0.2	30.2	:	2.33	8.8 - 9.3	520	1+
				.526	+0.2	30.8	:	2.29	9.0 - 9.3	520	1+
				Means .495		30.3		2.31	8.9 - 9.2	4 nights	
9988	A 2180	AB	16 11. 8 + 1 25	.444	-0.2	97.7	..	48.15	9.2 -11.5	520	2
		BC		.323	+0.1	315.6	..	1.38	12.5 -13.0	1000	3+
				.419	+0.3	315.4	..	1.13	12.0 -13.5	520	3
				.422	-0.1	306.1	..	1.31	12.0 -13.2	520	3+
				.444	-0.3	311.8	..	1.27	10.5 -12.5	520	2
				Means .402		312.2		1.27	11.7 -13.0	4 nights	
9989	A 2181		16 11. 8 + 1 26	.318	+0.1	11.3	:	0.36	10.2 -10.2	1000	3
				.323	+0.2	20.7	:	0.39	10.5 -10.8	1000	3+
				.419	+0.4	18.3	:	0.38	10.2 -10.2	1000	3
				.422	0.0	17.2	:	0.36	10.4 -10.7	1000	4
				Means .370		16.9		0.37	10.3 -10.5	4 nights	
10054	β 625	AC	16 20. 8 +14 16	.444	+0.3	96.0	..	28.57	4.5 -11.5	520	1+
				.449	+0.3	96.2	..	28.18	4.5 -11.8	520	2-
				.455	+0.6	95.9	..	28.56	4.5 -11.5	520	2
				.476	+1.0	96.4	..	28.46	4.5 -11.5	520	2+
				Means .456		96.1		28.44	4.5 -11.6	4 nights	
No trace of the close companion could be seen on these nights; it would need better seeing.											
	Rst 3949		16 22. 4 - 8 9	.449	0.0	93.0	..	1.10	4.8 - 7.5	1000	2-
				.460	+0.1	93.5	..	1.08	4.5 - 7.5	1500	3+
				.476	+0.3	92.8	..	1.16	4.5 - 8.0	1000	2+
				.523	+0.2	94.1	..	1.11	4.5 - 8.0	1000	2
				Means .477		93.4		1.11	4.6 - 7.8	4 nights	
10069	O Σ 311	AB	16 23. 4 +21 7	.449	+0.6	295.1	..	1.86	8.2 -12.0	520	3
				.455	+0.7	297.8	..	1.74	8.5 -12.0	520	2
				.476	+1.2	295.5	..	1.68	9.0 -12.0	520	2+
				.523	+0.5	293.2	..	1.80	8.5 -12.0	520	2
				Means .476		295.4		1.77	8.5 -12.0	4 nights	
		AC		.444	+0.5	284.1	..	4.90	8.3 -11.0	520	1+
				.449	+0.4	283.7	..	4.93	8.2 -11.0	520	2
				.455	+0.8	284.9	..	4.85	8.5 -11.0	520	2
				.476	+1.3	285.5	..	4.81	9.0 -11.5	520	2+
				.523	+0.6	285.0	..	4.79	8.5 -11.5	520	2
				Means .469		284.6		4.86	8.5 -11.2	5 nights	
10157	Σ 2084		16 37. 5 +31 47	.526	+1.1	76.0	..	1.59	3.2 - 6.4	1000	3
10206	A 2784		16 42. 0 + 8 32	.419	+0.5	125.6	..	0.38	10.6 -12.0	1000	3
				.460	+0.2	123.6	..	0.43	10.5 -12.5	1000	3-
				.526	+0.2	124.4	..	0.40	10.0 -11.5	1000	2
				Means .468		124.5		0.40	10.4 -12.0	3 nights	

TABLE I. (continued)

ADS	Others	Comp.	α 1900 δ	1957	t	θ	Eyes	ρ	Est. Mag.	Power	Seeing
10229	Σ 2106		$16^{\text{h}}46^{\text{m}}.4 + 9^{\circ}35'$	.318 .323 .392 .400	-0.1 -0.2 +0.4 -0.8	197.3 198.2 199.5 194.3	: : : :	0.28 0.49 0.35 0.35	7.0 - 7.8 7.5 - 8.0 7.5 - 8.2 7.0 - 7.8	1000 1000 1000 1000	3 3+ 2+ 3
			Means	.356		197.3		0.37	7.2 - 7.9		4 nights
10230	$O\Sigma$ 315		$16\ 46.4 + 1\ 23$	.318 .323 .392 .400	+0.1 0.0 +0.7 -0.6	140.1 131.6 128.1 133.2	: :	0.48 0.46 0.48 0.39	6.0 - 7.2 6.0 - 7.2 6.0 - 7.2 6.0 - 7.2	1000 1000 1000 1000	2+ 3+ 2 3
			Means	.356		133.3		0.45	6.0 - 7.2		4 nights
10235	Σ 2107		$16\ 47.9 +28\ 50$	.526	+1.1	71.9	:	1.06	7.0 - 8.2	1000	3+
	Kpr		$16\ 50.1 - 8\ 9$	.411 .422 .424 .460 .476	0.0 -0.1 +0.4 -0.2 0.0	9.2 359.8 356.7 348.3 339.6	: : : : :	0.19 0.18 0.20 0.19 0.22	9.6 - 9.8 9.8 -10.1 9.8 -10.0 10.0 -10.2 9.8 -10.0	1000 1500 1500 1500 1000	3 3+ 2 3 2+
			Means	.449		354.7		0.20	9.8 -10.0		5 nights
10341	β 823		$17\ 1.5 + 0\ 47$	.318 .323 .392 .400	+0.4 -0.1 +0.7 -0.6	86.0 85.3 84.8 83.4		0.83 0.84 0.87 0.93	8.5 - 9.5 8.6 - 9.8 8.6 - 9.4 8.5 - 9.5	1000 1000 1000 1000	2+ 3+ 2 2+
			Means	.356		84.9		0.87	8.6 - 9.6		4 nights
10358	A 2237		$17\ 3.7 + 0\ 10$	.419 .424 .460 .526	+0.4 +0.4 +0.1 0.0	66.2 71.1 58.7 60.3		0.85 0.80 1.12 1.10	9.5 -11.5 9.0 -11.5 9.8 -12.0 9.5 -11.5	1000 520 1000 1000	3+ 2+ 3 2+
			Means	.457		64.1		0.97	9.5 -11.6		4 nights
10459	β 628		$17\ 14.6 +32\ 46$	.526	+1.1	311.7	..	0.43	9.4 -10.2	1000	3
10583	β 1089		$17\ 24.4 - 5\ 49$	.455 .460 .476 .523 .526	+0.1 0.0 +0.4 -0.1 0.0	333.1 331.9 332.5 329.6 332.4	: : : : :	1.41 1.36 1.32 1.30 1.09	6.5 - 9.5 6.5 - 9.5 6.5 - 9.0 6.0 - 9.0 6.5 - 9.5	520 1000 520 520 1000	2 2+ 3 1+ 2+
			Means	.488		331.9		1.30	6.4 - 9.3		5 nights
10598	Σ 2173		$17\ 25.2 - 0\ 59$	.455 .460 .476 .523 .526	+0.3 +0.1 +0.5 +0.2 +0.1	220.8 217.5 217.0 214.5 211.3	: : : : :	0.22 0.21 0.21 0.21 0.19	6.0 - 6.2 6.2 - 6.2 6.0 - 6.2 6.0 - 6.3 6.0 - 6.3	1000 1000 1000 1000 1000	2 2+ 2+ 1+ 3
			Means	.488		216.2		0.21	6.0 - 6.2		5 nights
10607	A 2386		$17\ 26.4 + 2\ 48$	.323 .419	-0.2 +0.2		round :	<0.10		1500 1900	3+ 4
10703	Σ 2192		$17\ 36.2 +29\ 18$	.523 .526	+1.4 +0.9	44.5 44.6	: ..	12.74 12.99	7.5 - 9.5 7.4 - 9.6	520 520	2 3
			Means	.525		44.6		12.87	7.4 - 9.5		2 nights
10786	AC 7	BC	$17\ 42.5 +27\ 47$	.523 .526	+0.8 +1.1	142.4 143.4 144.2	:	0.47 0.54	10.5 -11.0 10.5 -11.0	1000 1000	1+ 3
			Means	.525		143.6		0.51	10.5 -11.0		2 nights
10796	Hu 1288		$17\ 42.6 +15\ 4$	.526	+1.3	141.2	..	0.37	9.3 - 9.8	1000	3
10828	$O\Sigma$ 337		$17\ 45.7 + 7\ 16$	.323	0.0	39.7	:	0.27	8.5 - 9.0	1000	3+

TABLE I. (continued)

ADS	Others	Comp.	α 1900 δ	1957	t	θ	Eyes	ρ	Est. Mag.	Power	Seeing
				.419	+0.5	22.6	:	0.24	8.8 - 9.0	1500	3
				.460	0.0	21.1	:	0.25	8.2 - 8.6	1000	3
				.468	+0.9	24.5	:	0.23	8.3 - 8.6	1000	3-
				Means	.415	27.0		0.25	8.4 - 8.8	4 nights	
10899	A 2189		17 ^h 51. ^m 3 + 3° 0'	.419	+0.5	0?	:	<0.10		1900	3+
10912	Σ 2244		17 52. 0 + 0 5	.318	-0.1	284.6	..	0.29	6.7 - 7.0	1000	3+
				.323	+0.4	282.6	..	0.34	6.8 - 6.5	1000	2+
				.419	+0.6	286.5	..	0.31	6.8 - 7.0	1900	3+
				.424	+0.3	287.0	..	0.33	7.0 - 7.0	1500	2+
				Means	.371	285.2		0.32	6.8 - 6.9	4 nights	
10990	β 1125		17 56. 7 + 1 18	.318	0.0	61.5	..	0.62	5.0 - 8.0	1000	4
				.419	+0.8	70.3	..	0.76	4.5 - 7.5	1000	3+
				.424	+0.4	70.0	..	0.65	4.5 - 8.0	1000	2+
				.460	-0.1	65.9	..	0.65	4.8 - 7.8	1000	3
				Means	.405	66.9		0.67	4.7 - 7.8	4 nights	
11111	Σ 2281		18 4. 6 + 3 59	.318	0.0	31.6	..	0.35	6.0 - 6.8	1000	4
				.392	-0.1	34.0	:	0.34	6.0 - 7.0	1000	2
				.419	+0.8	30.7	:	0.26	6.2 - 7.0	1000	3+
				.424	+0.4	30.0	:	0.30	6.0 - 7.0	1000	2+
				Means	.388	31.6		0.31	6.0 - 6.9	4 nights	
11186	Σ 2294		18 9. 4 + 0 9	.476	0.0	97.4	..	0.97	8.0 - 8.6	1000	2+
				.487	+0.7	96.5	..	0.92	8.3 - 8.6	520	4
				.501	+0.6	96.0	..	0.92	8.5 - 8.8	1000	3
				.523	-0.2	95.1	..	0.99	8.2 - 8.6	520	1+
				Means	.497	96.3		0.95	8.2 - 8.6	4 nights	
11223	Hu 319		18 12. 3 +22 47	.526	+1.0	91.1	..	0.36	9.5 -10.0	1000	3
11339	β 1203		18 21.0 + 0 43	.476	-0.1	127.0	..	0.32	7.8 - 8.2	1000	2+
				.487	+0.7	129.3	..	0.31	7.8 - 8.2	1500	3+
				.501	+0.5	128.3	..	0.32	7.2 - 7.8	1000	3
				.523	-0.2	127.5	..	0.36	7.5 - 7.7	1000	1+
				Means	.497	128.0		0.33	7.6 - 8.0	4 nights	
11640	ζ 332	AB	18 40. 6 + 5 24	.318	-0.3	130.2	:	0.16	7.2 - 7.2	1000	4
				.392	-0.3	131.1	..	0.16	7.0 - 7.2	1000	2
				.419	+0.4	135.2	..	0.11	7.0 - 7.0	1900	3
				.424	0.0	131.0	..	0.16	7.0 - 7.0	1000	2+
				Means	.388	131.9		0.15	7.0 - 7.1	4 nights	
		CD		.318	-0.4	132.5	:	0.16	7.2 - 7.2	1000	4
				.392	-0.3	130.0	..	0.17	7.4 - 7.5	1000	2
				.419	+0.5	128.2	..	0.13	7.3 - 7.3	1900	3
				.424	0.0	129.2	..	0.16	7.4 - 7.4	1000	2
				Means	.388	130.0		0.16	7.3 - 7.3	4 nights	
	Σ 2375	AB, CD		.318	-0.2	118.5	:	2.40	6.5 - 6.5	1000	3+
				.392	-0.2	118.3	..	2.41	6.4 - 6.8	1000	2
				.419	+0.3	118.4	..	2.38	6.2 - 6.5	1000	3
				.424	+0.1	117.9	..	2.41	6.2 - 6.6	1000	2-
				Means	.388	118.3		2.40	6.3 - 6.6	4 nights	
11842	A 2192		18 50. 8 + 3 19	.318	-0.1	147.6	:	0.20	7.8 - 7.8	1000	4
				.419	+0.5	144.1	..	0.25	8.0 - 8.4	1000	3+
				.424	+0.2	141.3	:	0.23	7.8 - 8.0	1000	2
				.468	+0.1	142.8	:	0.22	7.8 - 8.0	1000	2+
				Means	.407	144.0		0.22	7.8 - 8.0	4 nights	

TABLE I. (continued)

ADS	Others	Comp.	α 1900 δ	1957	t	θ	Eyes	ρ	Est. Mag.	Power	Seeing
	Kpr		18 ^h 53. ^m 8 -12°59'	.318	+0.1	205°9	:	0.26	6.0 - 6.5	1000	4
				.419	+0.6	203.5	:	0.25	6.0 - 6.5	1000	3+
				.474	+0.3	205.8	:	0.24	6.0 - 6.5	1000	3
				.487	+0.3	201.6	:	0.25	6.0 - 6.5	1500	3+
			Means	.424		204.2		0.25	6.0 - 6.5	4 nights	
11902	Σ 2424		18 54. 5 +13 29	.523	+0.5	286.0	..	17.46	6.0 - 9.0	520	2-
				.526	+0.5	285.9	..	17.58	5.8 - 8.8	520	3
			Means	.525		285.9		17.52	5.9 - 8.9	2 nights	
11971	Σ 2434	BC	18 57. 6 - 0 51	.468	+0.4	15.3	:	0.83	9.0 -10.0	520	2
				.474	+0.4	17.5	:	1.03	9.0 -10.5	1000	2
				.487	+0.4	16.8	:	0.81	9.0 -10.8	1500	3+
				.501	+0.1	18.0	:	0.93	9.5 -10.8	1000	2+
			Means	.482		16.9		0.90	9.1 -10.5	4 nights	
12014	β 974		19 0. 0 - 6 19	.468	+0.6	79.8	..	1.02	9.5 -10.7	520	2
				.474	+0.8	80.8	:	1.06	10.0 -11.0	520	3
				.487	+0.6	80.4	..	1.16	9.5 -10.3	1000	3+
				.501	+0.2	80.2	..	1.21	9.5 -10.5	1000	2
			Means	.482		80.3		1.11	9.6 -10.6	4 nights	
12584	A 367		19 28. 0 + 5 33	.468	+0.6	317.2	..	0.78	9.0 - 9.8	520	2
				.474	+0.5	318.0	..	0.96	9.0 -10.2	520	3
				.487	+0.3	318.5	..	0.76	9.0 -10.0	1000	4
				.501	0.0	314.1	..	0.84	8.5 -10.0	1000	2
			Means	.482		317.0		0.84	8.9 -10.0	4 nights	
13156	A 604		19 52. 4 + 4 57	.419	0.0	91.4	..	0.28	9.2 - 9.4	1000	3
				.487	+0.4	91.5	..	0.25	9.2 - 9.5	1000	4
				.501	-0.2	90.6	..	0.25	9.0 - 9.2	1000	2
				.520	+0.5	91.1	..	0.23	9.4 - 9.7	1000	3
			Means	.482		91.2		0.25	9.2 - 9.4	4 nights	
13169	A 606		19 53. 1 + 4 40	.419	+0.1	95.1	..	0.34	9.4 - 9.5	1000	3+
				.487	+0.5	97.0	..	0.40	9.3 - 9.5	1000	4
				.501	0.0	97.5	..	0.36	9.4 - 9.6	1000	2
				.520	+0.6	97.0	..	0.44	9.5 - 9.5	1000	3
			Means	.482		96.7		0.39	9.4 - 9.5	4 nights	
13172	A 607		19 53. 2 + 5 32	.419	+0.2		single			1000	3
				.487	+0.6		single			1500	4
				.501	+0.1		single			1000	2
			Means	.469			single			3 nights	
13461	O Σ 400		20 6. 9 +43 39	.520	+1.4	302.1	..	0.29	7.0 - 7.5	1000	3+
							Check on 12-inch result.				
13738	H1d 158		20 16. 2 + 2 32	.419	0.0	246.2	..	0.25	10.0 -10.5	1000	3+
				.487	+0.7	246.0	..	0.23	10.2 -10.6	1000	4
				.501	-0.1	247.2	..	0.26	9.4 -10.6	1000	2
				.520	+0.4	249.2	..	0.24	9.8 -10.0	1000	3
			Means	.482		247.1		0.24	9.9 -10.4	4 nights	
13739	A 2280		20 16. 4 + 0 15	.419	+0.1	58.5	..	0.48	9.0 -11.0	1000	3+
				.487	+0.9	42.6	:	0.44	9.0 -11.0	1000	3
				.520	+0.6	44.8	..	0.57	9.0 -11.0	1000	2+
			Means	.475		48.6		0.50	9.0 -11.0	3 nights	
13723	O Σ 406		20 16. 6 +45 3	.520	+1.1	132.0	..	0.50	7.3 - 8.1	1000	2+
13940	AG 257		20 26. 2 + 4 52	.468	+0.1	63.7	..	1.93	9.6 - 9.9	520	2
				.474	+0.1	64.6	..	2.01	9.5 - 9.9	520	2+

TABLE I. (continued)

ADS	Others	Comp.	α 1900 δ	1957	t	θ	Eyes	ρ	Est. Mag.	Power	Seeing
				.487	+1 ^h .0	63°7	∴	1''.92	9.4 - 9.6	520	4
				.501	+0.1	63.3	..	1.93	9.5 - 9.9	1000	2
				Means .482		63.8		1.95	9.5 - 9.8	4 nights	
				Both components orange.							
14360	Σ 2729		20 ^h 46 ^m .1 - 6° 0'	.468	0.0	4.4	:	1.37	6.2 - 7.0	520	2-
				.474	-0.1	1.8	:	1.31	6.0 - 7.0	520	2
				.487	+0.7	2.0	:	1.22	6.2 - 7.0	520	4
				.501	-0.1	2.8	:	1.05	6.0 - 7.0	1000	2
				Means .482		2.7		1.24	6.1 - 7.0	4 nights	
14499	Σ 2737		20 54.1 + 3 55	.468	0.0	289.1	..	0.90	6.0 - 6.5	520	2-
				.474	-0.1	288.4	..	0.88	5.8 - 6.2	520	1+
				.487	+0.7	288.5	..	0.87	5.8 - 6.2	520	4
				.501	0.0	287.0	..	0.81	6.0 - 6.2	1000	2+
				Means .482		288.3		0.86	5.9 - 6.3	4 nights	
14602	Se 3	BC	20 59.7 + 3 8	.520	+0.9	11.4	:	0.67	10.0 -10.2	1000	3+
				Check on 12-inch result.							
14839	β 163		21 13.8 +11 9	.468	+0.1	255.6	..	0.92	6.8 - 8.5	520	2
				.474	0.0	254.4	..	1.02	7.2 - 8.8	520	1+
				.487	+0.5	254.8	..	0.80	7.5 - 9.0	520	4
				.501	-0.1	253.7	..	0.90	7.0 - 8.0	1000	2+
				Means .482		254.6		0.91	7.1 - 8.6	4 nights	
15176	β 1212		21 34.4 - 0 30	.468	0.0	281.7	..	0.50	7.2 - 7.8	520	2
				.474	-0.2	278.9	..	0.56	7.2 - 7.8	520	1+
				.487	+0.3	283.2	..	0.48	7.2 - 7.5	520	2+
				.501	-0.2	281.9	..	0.52	7.0 - 7.5	1000	2+
				Means .482		281.4		0.51	7.2 - 7.7	4 nights	
15330	Bar 15		21 42.1 - 2 11	.501	-0.2	109.5	..	0.46	9.4 -10.2	1000	2+
				.520	+0.4	102.5	..	0.35	10.0 -10.5	1000	2+
				Means .510		106.0		0.40	9.7 -10.4	2 nights	
15432	Σ 2838		21 49.4 - 3 47	.474	-0.3	183.7	:	17.83	5.8 - 8.8	520	1
				.487	+0.2	183.4	:	17.77	6.0 - 8.8	520	2+
				.501	0.0	183.6	:	17.73	6.0 - 9.0	520	3
				Means .487		183.6		17.78	5.9 - 8.9	3 nights	
15586	Ho 469		21 58.6 - 3 17	.501	+0.1	34.9	:	0.79	9.0 -10.5	1000	2
				.520	+0.3	41.1	∴	0.72	9.0 -11.0	1000	2+
				Means .510		38.0		0.75	9.0 -10.8	2 nights	
15725	β 475		22 7.3 - 8 30	.501	+0.2	204.7	:	1.34	7.5 -10.0	1000	2
				.520	+0.3	202.0	:	1.27	7.5 -10.0	1000	2
				Means .510		203.4		1.30	7.5 -10.0	2 nights	
16173	Ho 296		22 35.9 +14 1	.520	+0.2	31.6	:	0.28	6.0 - 6.8	1000	2+
				Check on 12-inch result.							
16178	Hu 780		22 36.3 +14 1	.520	0.0	11.2	:	0.29	10.0 -10.2	1000	2+
				Check on 12-inch result.							
16200	Σ 2933		22 37.8 +10 28	.520	+0.3	215.8	∴	4.45	10.0 -12.0	520	2+

TABLE II. DOUBLE STAR MEASURES WITH THE 12-INCH REFRACTOR

ADS	Others	Comp.	α 1900 δ	1957	t	θ	Eyes	ρ	Est. Mag.	Power	Seeing
8573	β 28		$12^h 24^m 9^s -12^\circ 50'$	.397 .493 .496	-0.9 +2.4 +2.1	$298^\circ 7'$ 299.8 299.8		0.78 0.71 0.82	6.0 - 9.0 6.5 - 9.0 6.5 - 9.0	625 625 625	2+ 2+ 1+
				Means .462		299.4		0.77	6.3 - 9.0		3 nights
									Result uncertain; seeing on all nights too poor.		
8804	Σ 1728		13 5. 1 +18 3	.397 .403 .474 .493 .496	-0.3 -0.6 +1.9 +1.5 +1.2	11.8 10.1 10.9 10.4 9.8	: : : : :	0.47 0.60 0.60 0.57 0.58	5.2 - 5.4 5.2 - 5.4 5.2 - 5.4 5.0 - 5.1 5.0 - 5.2	450 625 625 625 625	3+ 2+ 3 3 2
				Means .453		10.6		0.56	5.1 - 5.3		5 nights
8841	β 800		13 11. 8 +17 33	.397 .403 .493 .496	-0.3 -0.5 +1.8 +1.6	108.2 107.6 107.5 108.3		6.22 6.53 5.95 6.00	7.0 -10.0 7.0 - 9.8 7.0 -10.0 6.8 - 9.8	450 625 625 625	3+ 2+ 2+ 1+
				Means .447		107.9		6.18	6.9 - 9.9		4 nights
9182	Σ 1819		14 10. 3 + 3 36	.392 .397 .408 .430	-0.4 -0.3 -0.6 0.0	291.0 290.6 291.3 290.2		0.87 1.01 1.16 1.10	8.2 - 8.4 8.2 - 8.4 8.5 - 8.5 8.0 - 8.0	450 450 625 450	2- 3+ 3 2
				Means .407		290.8		1.04	8.2 - 8.3		4 nights
9343	Σ 1865		14 36. 4 +14 9	.392 .397 .403 .408	-0.5 -1.1 -1.5 -0.8	308.7 307.4 307.8 311.5	.. : : :	1.13 1.15 1.19 1.23	3.4 - 3.5 4.2 - 4.4 4.0 - 4.2 4.2 - 4.4	450 450 625 625	2- 3+ 2+ 2+
				Means .400		308.8		1.17	3.9 - 4.1		4 nights
9380	Σ 1879		14 41. 4 +10 5	.392 .397 .408 .430	-0.4 -0.7 -0.7 -0.3	99.8 100.0 99.3 97.2		1.50 1.48 1.69 1.48	7.8 - 8.6 8.5 - 9.0 7.5 - 8.3 7.5 - 8.3	450 450 625 450	2 3+ 2+ 2
				Means .407		99.1		1.54	7.8 - 8.6		4 nights
9425	$O\Sigma$ 288		14 48. 7 +16 7	.392 .397 .408 .435 .468 .493	-0.3 -0.6 -0.7 -0.4 +1.1 +0.6	178.2 178.3 178.1 175.4 176.4 177.6	: : : : : :	1.70 1.82 1.95 2.09 1.68 1.62	7.5 - 8.0 7.0 - 7.5 7.0 - 7.4 7.0 - 7.5 7.5 - 8.0 7.0 - 7.6	450 450 625 450 450 625	2 3+ 2+ 1 2 1+
				Means .432		177.3		1.81	7.2 - 7.7		6 nights
9446	H N 28		14 51. 6 -20 58	.392 .397 .430 .493	-1.0 -0.5 -0.3 +0.3	302.0 302.0 301.8 302.8		21.70 21.86 21.85 21.43	5.8 - 8.8 5.6 - 8.8 6.0 - 8.5 5.5 - 8.5	450 450 450 625	2- 3+ 2 1+
				Means .428		302.1		21.71	5.7 - 8.6		4 nights
9647	Σ 1944		15 22. 8 + 6 27	.392 .397 .408 .427	-0.1 -0.5 -1.0 -0.7	317.1 315.7 313.2 319.4	.. : : ..	0.88 1.05 1.07 0.96	8.6 - 9.0 8.5 - 9.0 8.5 - 9.0 8.6 - 8.9	450 450 625 450	2+ 3+ 2 2+
				Means .406		316.3		0.99	8.6 - 9.0		4 nights
9880	$O\Sigma$ 303		15 56. 2 +13 33	.397 .427 .430 .433 .435 .474	-0.8 -1.0 -1.1 -0.5 -1.3 -0.1	160.3 158.7 162.3 157.6 158.7 163.5	: : : : : :	1.37 1.33 1.55 0.83 1.56 1.41	8.0 - 8.0 7.6 - 7.8 7.8 - 8.0 7.6 - 7.8 7.5 - 7.8 7.2 - 7.7	450 450 450 450 450 625	3+ 2 2 1 1 3
				Means .433		160.2		1.34	7.6 - 7.8		6 nights

TABLE II. (continued)

ADS	Others	Comp.	α 1900 δ	1957	t	θ	Eyes	ρ	Est. Mag.	Power	Seeing
9909	Σ 1998	AB	$15^{\text{h}}58^{\text{m}}9 - 11^{\circ} 6'$	.397	-0. ^h 7	336. ^o 0	..	0'.63	5.2 - 5.5	450	4
				.408	-1.2	329.9	:	0.70	5.0 - 5.2	625	2
				.427	-0.9	330.8	:	0.60	4.6 - 4.8	450	2
				.430	-1.0	334.1	:	0.58	4.8 - 5.0	450	2
				Means	.416	332.7		0.63	4.9 - 5.1	4 nights	
		AC		.397	-0.6	50.6	..	7.76	5.2 - 7.2	450	3+
				.408	-1.1	52.3	..	8.24	5.0 - 7.5	625	2
				.427	-0.8	51.2	..	8.05	4.6 - 7.0	450	2
				.430	-0.8	51.8	..	8.53	4.8 - 7.3	450	2
				Means	.416	51.5		8.14	4.9 - 7.2	4 nights	
10075	Σ 2052	$16 24. 5 + 18 37$	.392	-0.9	162.8	:	0.89	7.8 - 7.8	450	2	
			.397	-0.8	165.1	:	0.77	7.8 - 7.9	450	4	
			.408	-1.3	160.9	:	0.82	7.6 - 7.7	625	2+	
			.427	-1.0	165.0	:	0.88	7.8 - 7.8	450	2	
			Means	.406	163.5		0.84	7.8 - 7.8	4 nights		
10087	Σ 2055	$16 25. 9 + 2 12$	.392	-0.7	335.0	:	0.69	4.0 - 5.0	450	2	
			.397	-0.6	333.9	:	0.68	4.5 - 5.5	450	4	
			.408	-1.1	335.5	:	0.65	4.0 - 5.2	625	2+	
			.427	-0.8	334.7	:	0.66	4.0 - 5.0	450	2	
			Means	.406	334.8		0.67	4.1 - 5.2	4 nights		
10230	$O\Sigma$ 315	$16 46. 4 + 1 23$	.397	-0.8	135.8	:	0.51	6.0 - 8.0	625	4	
			.408	-1.3	130.5	:	0.53	6.2 - 7.8	625	2+	
			.427	-1.0	133.7	:	0.47	6.0 - 7.2	450	2	
			.430	-1.4	137.6	:	0.53	6.2 - 7.8	450	2	
			Means	.416	134.4		0.51	6.1 - 7.7	4 nights		
10312	Σ 2114	$16 57. 2 + 8 36$	.427	-1.0	177.3	:	1.43	6.6 - 7.4	450	2	
			.430	-1.4	175.8	:	1.57	7.0 - 7.6	450	2	
			.435	-2.1	176.0	:	1.53	7.0 - 8.0	450	1-	
			.449	+1.4	178.4	:	1.52	6.8 - 7.8	450	2	
			.485	-1.4	177.0	:	1.41	7.0 - 7.5	625	3	
			.487	-1.5	177.4	:	1.29	7.0 - 7.5	625	3	
			Means	.452	177.0		1.46	6.9 - 7.6	6 nights		
10424	Σ 3127	$17 10. 9 + 24 57$	.435	-2.0	234.8	..	8.69	3.0 - 8.5	450	1-	
			.449	+1.6	235.9	:	9.69	3.0 - 8.0	450	2	
			.485	-1.5	236.0	..	9.00	3.5 - 8.0	625	3	
			.487	-1.5	235.1	..	8.94	3.0 - 8.5	625	4	
			.493	-1.5	235.4	..	8.85	3.5 - 8.0	625	1+	
			Means	.470	235.4		9.03	3.2 - 8.2	5 nights		
10429	A 2984	$17 11. 4 - 0 20$	.408	-1.1	337.0	:	0.75	5.0 - 7.0	625	3	
			.427	-1.0	337.1	:	0.66	5.0 - 7.0	450	3	
			.430	-1.4	334.0	:	0.95	5.0 - 7.0	450	2	
			.449	+1.3	337.7	:	1.06	5.0 - 7.2	450	2	
			.485	-1.3	338.9	:	0.81	5.0 - 7.5	625	2+	
			Means	.440	336.9		0.85	5.0 - 7.1	5 nights		
10786	AC 7	BC	$17 42. 5 + 27 47$	.487	-1.9	140.5	:	0.39	10.5 - 10.5	625	3
				.526	+2.6	147.8	..	0.65	10.3 - 10.8	625	3
At its present separation, this faint pair is too difficult for the 12-inch; see under 36-inch.											
10850	$O\Sigma$ 338	$17 47. 5 + 15 21$	.427	-1.3	355.5	:	0.72	7.0 - 7.4	450	2+	
			.430	-1.8	354.7	:	0.77	7.2 - 7.4	450	2	
			.449	+1.3	357.3	:	0.84	7.2 - 7.6	450	2	
			.485	-1.7	356.6	:	0.70	7.4 - 7.6	625	2+	
			Means	.448	356.0		0.76	7.2 - 7.5	4 nights		
11005	Σ 2262	$17 57. 6 - 8 11$	.397	-1.3	271.6	..	1.99	5.2 - 6.0	450	4+	
			.408	-1.5	272.0	..	2.02	5.5 - 6.0	450	2+	

TABLE II. (continued)

ADS	Others	Comp.	α 1900 δ	1957	t	θ	Eyes	ρ	Est. Mag.	Power	Seeing
				.427	-1. ^h ₂	272. ^o ₀	..	2.''00	5.2 - 5.8	450	2+
				.430	-1.8	271.3	..	2.15	5.0 - 5.8	450	2
				Means		271.7		2.04	5.2 - 5.9		4 nights
11046	Σ 2272		18 ^h 0. ^m ₄ + 2°32'	.397	-1.2	97.2	..	5.13	4.2 - 6.0	450	4+
				.408	-1.4	98.0	..	5.30	4.0 - 6.0	450	3
				.427	-1.1	96.7	..	5.08	4.0 - 6.0	450	2+
				.430	-1.6	96.9	..	5.17	4.0 - 6.0	450	2
				Means		97.2		5.17	4.0 - 6.0		4 nights
11077	AC 15		18 3. 2 +30 33	.496	-2.0	322.3	:	1.24	5.0 - 8.0	625	1+
				.498	-2.3	322.6	:	1.25	5.5 - 8.5	625	3+
				.501	-1.9	320.2	:	1.42	5.0 - 8.0	625	4
				.518	-2.7	320.3	:	1.37	5.0 - 8.5	625	3
				Means		321.3		1.32	5.1 - 8.2		4 nights
11111	Σ 2281		18 4. 6 + 3 59	.397	-1.0	24.6	:	0.38	6.3 - 7.0	625	4
				.408	-1.3	28.5	:	0.33	6.5 - 7.0	625	3
				.430	-1.3	24.7	∇	0.32	5.8 - 6.8	450	2
				.449	+1.3	24.7	:	0.32	6.2 - 6.8	450	2
				.485	-1.6	36.6	..	0.32	6.0 - 7.0	625	3
				.487	-0.5	29.8	:	0.25	6.2 - 7.0	625	3
				Means		28.2		0.32	6.2 - 6.9		6 nights
11186	Σ 2294		18 9. 4 + 0 9	.496	-1.9	97.1	..	1.06	8.2 - 8.6	625	1+
				.498	-2.3	98.6	∇	1.16	8.2 - 8.6	625	3
				.501	-1.9	97.0	..	1.06	8.3 - 8.7	625	3
				.512	-1.4	95.7	..	1.01	8.3 - 8.6	625	2
				.518	-2.6	92.6	..	1.10	8.3 - 8.6	625	3
				Means		96.2		1.08	8.3 - 8.6		5 nights
11324	AC 11		18 19. 8 - 1 38	.397	-1.1	3.7	:	0.55	7.2 - 7.5	625	3
				.408	-1.4	355.4	:	0.69	7.0 - 7.5	625	3
				.430	-1.3	356.7	:	0.72	6.5 - 7.0	450	2
				.449	+1.2	357.3	:	0.66	6.8 - 7.6	450	2
				.485	-1.7	356.3	:	0.64	7.0 - 7.5	625	3
				.487	-0.6	356.9	:	0.64	7.0 - 7.8	625	3
				Means		357.7		0.65	6.9 - 7.5		6 nights
11869	Σ 2422		18 53. 1 +25 58	.496	-2.4	76.4	∇	0.78	8.0 - 8.2	625	1+
				.498	-2.8	81.4	∇	0.82	8.2 - 8.4	625	3
				.501	-2.4	79.3	:	0.75	8.2 - 8.5	625	3
				.512	-1.9	84.1	..	0.78	8.0 - 8.3	625	2
				.518	-3.0	82.5	:	0.78	8.2 - 8.4	625	3
				Means		80.7		0.78	8.1 - 8.4		5 nights
11871	β 648		18 53. 3 +32 50	.397	-1.4	238.8	..	1.28	6.0 - 8.2	625	3
				.408	-3.1	237.0	..	1.32	5.5 - 7.8	625	2
				.430	-2.3	234.7	..	1.55	5.5 - 7.8	450	2
				.485	-2.6	234.2	..	1.21	5.5 - 8.0	625	2+
				.487	-2.8	233.5	..	1.25	6.0 - 8.0	625	3
				.490	-1.9	233.1	..	1.25	5.5 - 7.8	625	2
				Means		235.2		1.31	5.7 - 7.9		6 nights
11897	Σ 2438		18 55. 8 +58 5	.498	-2.6	7.0	..	0.76	7.2 - 7.6	625	3
				.501	-2.3	9.6	:	0.75	7.2 - 7.5	625	3
				.512	-1.8	9.9	..	0.73	7.0 - 7.5	625	2
				.518	-2.8	9.3	..	0.73	7.0 - 7.4	625	3
				Means		9.0		0.74	7.1 - 7.5		4 nights
12040	Σ 2454		19 2. 3 +30 17	.485	-2.2	272.8	:	0.82	8.6 - 9.8	625	3
				.487	-2.6	268.9	:	1.24	9.0 - 10.0	625	3
				.490	-1.9	268.3	:	1.07	8.4 - 9.6	625	2-
				.496	-2.4	270.3	:	1.10	8.5 - 9.5	625	1+
				Means		270.1		1.06	8.6 - 9.7		4 nights

TABLE II. (continued)

ADS	Others	Comp.	α 1900 δ	1957	t	θ	Eyes	ρ	Est. Mag.	Power	Seeing
12050	Σ 2455		$19^h 2^m 6^s +22^\circ 1'$	.485 .487 .490 .493	-2.0 -2.2 -1.7 -2.8	$41^\circ 5'$ 41.7 41.1 41.0		6.00 6.09 5.94 6.07	7.6 - 8.8 7.5 - 8.8 7.0 - 9.0 7.5 - 8.7	625 625 625 625	3 3 2- 1
			Means	.489		41.3		6.02	7.4 - 8.8		4 nights
12053	Σ 2457		$19 2. 9 +22 26$	.487 .490 .493 .496	-2.4 -1.5 -2.6 -2.2	199.6 200.9 201.0 200.2		10.20 10.09 10.14 10.14	7.3 - 8.8 7.5 - 8.8 7.5 - 8.8 8.0 - 9.0	625 625 625 625	3 2+ 1 1+
			Means	.492		200.4		10.14	7.6 - 8.8		4 nights
12140	A 151		$19 7. 1 +21 6$	.485 .487 .490 .496	-1.9 -2.0 -1.4 -2.0	148.8 144.5 142.9 143.9	: : : :	0.47 0.61 0.51 0.41	7.8 - 9.3 8.0 - 8.8 8.9 - 9.6 8.3 - 8.9	625 625 625 625	3 3 3 2
			Means	.490		145.0		0.50	8.2 - 9.2		4 nights
12113	OE 369		$19 8. 5 +71 55$	.498 .501 .512 .518	-2.7 -2.3 -1.8 -2.9	20.7 22.5 23.2 20.6	: : : ..	0.70 0.75 0.69 0.70	8.5 - 8.8 8.6 - 8.8 8.0 - 8.5 8.3 - 8.5	625 625 625 625	3 3 2 3
			Means	.507		21.7		0.71	8.3 - 8.6		4 nights
12409	Σ 2515		$19 20. 2 +21 19$	.485 .487 .490 .496	-1.8 -1.9 -1.5 -2.1	61.6 63.0 61.3 63.7	:	4.82 4.79 4.74 4.86	8.8 - 9.5 8.6 - 9.3 8.4 - 9.6 8.0 - 9.6	625 625 625 625	3 3 2 2
			Means	.490		62.4		4.80	8.4 - 9.5		4 nights
12623	OE 375		$19 30. 2 +17 55$	.518 .526	-1.9 +0.7	165.5 165.1	: :	0.58 0.56	7.8 - 8.8 7.5 - 8.3	625 625	3- 3
			Means	.522		165.3		0.57	7.6 - 8.4		2 nights
12626	Σ 2553		$19 32.1 +61 50$	.498 .501 .512 .518	-2.9 -2.5 -2.0 -3.1	111.6 114.1 110.6 116.5	: : : :	1.18 0.95 1.05 0.98	8.6 - 9.3 8.5 - 9.0 8.5 - 9.0 8.6 - 9.0	625 625 625 625	3 3 2 3
			Means	.507		113.2		1.04	8.6 - 9.1		4 nights
12679	Σ 2544	AB	$19 32. 3 + 8 5$	.476 .485 .487 .490	-0.3 -1.8 -1.6 -1.5	183.2 187.5 192.1 193.9	: : : :	1.49 1.38 1.14 1.29	9.0 - 9.8 9.0 - 10.0 8.8 - 9.8 8.6 - 9.2	625 625 625 625	2 3 3 2
			Means	.484		189.2		1.32	8.8 - 9.7		4 nights
		AC		.476 .485 .487 .490	-0.1 -1.6 -1.5 -1.4	237.1 238.8 238.6 238.1		14.97 14.09 14.73 14.69	9.0 - 10.0 9.0 - 10.0 8.8 - 9.5 8.6 - 9.4	625 625 625 625	2 3 3 2+
			Means	.484		238.2		14.62	8.8 - 9.7		4 nights
12803	Σ 2574		$19 39. 3 +62 26$	.498 .501 .512 .518	-2.8 -2.5 -1.9 -3.0	227.7 224.4 224.5 228.5	: : : :	0.33 0.34 0.30 0.33	8.0 - 8.2 8.2 - 8.4 8.0 - 8.2 8.2 - 8.4	625 625 625 625	3 3+ 2 3
			Means	.507		226.3		0.33	8.1 - 8.3		4 nights
12880	Σ 2579		$19 41. 8 +44 53$	.498 .501 .512 .518	-2.8 -2.4 -1.8 -2.8	246.4 247.2 247.3 247.1	: : : :	2.19 2.25 2.39 2.23	3.0 - 6.5 4.0 - 7.0 3.5 - 6.5 3.0 - 6.5	625 625 625 625	4 4 3 3+
			Means	.507		247.0		2.26	3.4 - 6.6		4 nights

TABLE II. (continued)

ADS	Others	Comp.	α 1900 δ	1957	t	θ	Eyes	ρ	Est. Mag.	Power	Seeing
13082	Σ 2596		19 ^h 49. ^m 4 +15° 2'	.485 .487 .490 .496	-1. ^h 7 -1.6 -1.5 -2.4	310°.4 311.4 311.8 308.1	: : : :	2".22 2.34 1.94 2.19	8.5 - 9.5 7.3 - 8.5 7.3 - 8.8 7.3 - 8.8	625 625 625 625	3 3 2+ 1
			Means	.490		310.4		2.17	7.6 - 8.9	4 nights	
13277	$O\Sigma$ 395		19 57. 8 +24 39	.518 .526	-2.2 +0.6	112.3 116.9	: ..	0.81 0.84	6.0 - 6.3 5.6 - 6.0	625 625	3 3
			Means	.522		114.6		0.82	5.8 - 6.2	2 nights	
13461	$O\Sigma$ 400		20 6.9 +43 39	.498 .501 .512 .518	-2.9 -2.4 -2.0 -3.0	295.8 296.1 297.1 299.2	: : : :	0.28 0.28 0.32 0.34	7.8 - 8.2 7.8 - 8.3 7.8 - 8.5 8.0 - 8.5	625 625 625 625	4 3 3 3+
			Means	.507		297.0		0.30	7.8 - 8.4	4 nights	
13920	β 63		20 25. 5 +10 34	.485 .490 .498 .512	-1.9 -1.8 -3.0 -2.1	345.9 349.4 345.7 345.7	: : : :	0.97 0.92 0.86 0.89	6.0 - 8.0 6.0 - 8.2 6.0 - 8.2 6.0 - 8.0	625 625 625 625	3 3 3+ 3
			Means	.496		346.7		0.91	6.0 - 8.1	4 nights	
14233	Σ 2723		20 40. 2 +11 57	.485 .490 .498 .512	-2.0 -1.8 -3.0 -2.2	118.3 118.4 114.8 116.3	: : : :	1.35 1.10 1.43 1.26	7.8 - 9.8 7.5 - 8.8 7.3 - 8.8 7.5 - 8.8	625 625 625 625	3 3+ 3 2+
			Means	.496		117.0		1.28	7.5 - 9.0	4 nights	
14238	β 64		20 40. 3 +12 22	.485 .490 .498 .512	-1.7 -1.7 -2.8 -2.0	328.4 330.3 328.4 325.2	: : : :	0.30 0.34 0.32 0.33	9.0 - 9.2 9.2 - 9.3 8.8 - 8.9 8.8 - 8.8	625 625 625 625	3 3 3 2+
			Means	.496		328.1		0.32	9.0 - 9.1	4 nights	
14270	Σ 2725		20 41. 6 +15 32	.518 .526	-2.4 +0.1	8.7 7.5	: ..	5.63 5.72	7.5 - 8.0 7.5 - 8.2	625 625	3 3
			Means	.522		8.1		5.68	7.5 - 8.1	2 nights	
14296	$O\Sigma$ 413		20 43. 5 +36 7	.518 .526	-2.8 +0.8	30.6 25.3	: :	0.69 0.73	5.5 - 6.5 5.0 - 6.2	625 625	3 3
			Means	.522		28.0		0.71	5.2 - 6.3	2 nights	
14360	Σ 2729		20 46. 1 - 6 0	.526	+0.3	2.8	: :	1.13	6.4 - 7.0	625	3
14499	Σ 2737	AB	20 54. 1 + 3 55	.526	+0.3	289.3	: :	0.87	5.5 - 6.0	625	3
		AC		.526	+0.4	69.4	: :	10.22	5.5 - 6.3	625	3
14573	Σ 2744		20 58. 0 + 1 8	.485 .498 .512 .518	-1.8 -2.9 -2.1 -2.5	139.0 138.5 140.1 138.3	: : : :	1.50 1.46 1.52 1.43	7.3 - 7.6 7.0 - 7.5 7.0 - 7.4 7.3 - 7.7	625 625 625 625	3 2+ 2+ 3
			Means	.503		139.0		1.48	7.2 - 7.6	4 nights	
14602	Σ 2749	A, BC	20 59. 7 + 3 8	.476 .485 .498 .512	-1.1 -1.5 -2.6 -1.8	167.6 167.6 167.4 166.7	: : : :	3.35 3.26 3.57 3.14	8.5 - 8.9 8.8 - 9.2 8.6 - 9.5 8.5 - 9.4	625 625 625 625	2 3 2+ 2+
			Means	.493		167.3		3.33	8.6 - 9.3	4 nights	
	Se 3	BC		.476 .485 .498 .512	-1.2 -1.6 -2.8 -1.9	10.4 7.8 15.4 13.0	: : : :	0.56 0.41 0.45 0.69	9.5 - 9.8 10.0 - 10.0 10.0 - 10.5 10.0 - 10.4	625 625 625 625	2 3 2+ 2+
				.493		11.6		0.53	9.9 - 10.2	4 nights	

TABLE II. (continued)

ADS	Others	Comp.	α 1900	δ	1957	t	θ	Eyes	ρ	Est. Mag.	Power	Seeing
14783	H I 48		21 ^h 11. ^m 7	+64° 0	.498	-2. ^h 6	249.2	:	1.03	7.4 - 7.7	625	2+
					.512	-1.8	248.9	:	0.97	7.0 - 7.2	625	2+
					.518	-3.0	249.3	:	0.92	7.0 - 7.3	625	3
			Means		.509		249.1		0.97	7.1 - 7.4	3 nights	
15007	Σ 2799		21 24. 0	+10 39	.518	-2.6	277.6	:	1.66	7.5 - 7.7	625	3
					.526	+0.6	277.7	:	1.64	7.7 - 7.5	625	2
			Means		.522		277.6		1.65	7.6 - 7.6	2 nights	
15076	Σ 2804		21 28. 4	+20 16	.518	-2.5	346.7	:	3.11	8.0 - 8.5	625	3
					.526	+0.8	345.3	:	2.92	7.8 - 8.0	625	1+
			Means		.522		346.0		3.02	7.9 - 8.3	2 nights	
15215	O Σ 448		21 36. 6	+28 53	.518	-2.4	219.6	..	0.71	8.8 - 9.5	625	3
15270	Σ 2822		21 39. 7	+28 17	.476	-1.6	279.6	:	1.62	5.0 - 6.5	625	4
					.485	-2.0	279.9	:	1.55	5.0 - 7.0	625	3
					.498	-2.8	280.4	:	1.59	4.8 - 6.0	625	3+
					.512	-2.0	278.0	:	1.50	5.0 - 6.0	625	2+
			Means		.493		279.5		1.57	5.0 - 6.4	4 nights	
15313	Σ 2825		21 41. 8	+ 0 23	.498	-2.6	130.4	:	0.80	8.2 - 8.4	625	3
					.512	-1.9	126.0	:	0.77	8.5 - 9.0	625	2+
					.518	-2.3	125.8	:	0.72	8.5 - 8.8	625	3
					.526	+0.5	128.9	..	0.90	8.3 - 8.7	625	1+
			Means		.513		127.8		0.80	8.4 - 8.7	4 nights	
15767	Σ 2878		22 9. 5	+ 7 29	.476	-1.8	121.6	:	1.61	7.5 - 8.5	625	4
					.485	-2.2	121.4	:	1.58	7.2 - 8.0	625	3
					.498	-2.9	122.4	:	1.59	7.0 - 8.2	625	3
					.512	-2.1	121.6	:	1.53	7.5 - 8.2	625	2+
			Means		.493		121.8		1.58	7.3 - 8.2	4 nights	
15769	Σ 2881		22 10. 0	+29 5	.518	-2.3	84.8	:	1.49	7.8 - 8.2	625	3
15971	Σ 2909		22 23. 7	- 0 32	.476	-1.8	267.3	..	1.97	4.6 - 4.8	625	4
					.485	-2.3	267.5	..	1.87	4.0 - 4.2	625	3
					.498	-2.9	269.1	..	1.92	4.0 - 4.2	625	3
					.512	-2.2	268.8	..	1.94	4.0 - 4.2	625	2+
			Means		.493		268.2		1.92	4.2 - 4.4	4 nights	
15988	Σ 2912		22 24. 9	+ 3 55	.476	-1.7	117.3	:	1.01	6.0 - 7.0	625	4
					.485	-2.1	117.4	:	0.93	6.5 - 7.3	625	3
					.498	-2.8	116.9	:	1.17	6.0 - 7.2	625	3
					.512	-2.0	117.3	:	0.97	6.5 - 7.3	625	2+
			Means		.493		117.2		1.02	6.2 - 7.2	4 nights	
16173	Ho 296		22 35. 9	+14 1	.485	-2.1	30.9	..	0.31	6.0 - 6.8	625	3
					.498	-2.8	32.7	..	0.31	6.0 - 6.6	625	3
					.512	-2.0	35.7	..	0.34	6.0 - 6.6	625	2+
			Means		.498		33.1		0.32	6.0 - 6.7	3 nights	
16178	Hu 780		22 36. 3	+14 1	.485	-2.0	21.8	..	0.30	9.8 - 10.0	625	3
					.498	-2.6	355.8	:	0.32	9.8 - 10.1	625	3
					.512	-1.9	356.7	:	0.35	10.0 - 10.3	625	2+
			Means		.498		4.8		0.32	9.9 - 10.1	3 nights	
			Too difficult for the 12-inch; see under 36-inch.									
16185	Σ 2934		22 37. 0	+20 54	.485	-1.9	90.7	:	1.03	9.0 - 9.6	625	3
					.498	-2.5	96.2	:	0.91	8.5 - 9.5	625	2+
					.512	-1.8	93.4	:	0.91	8.4 - 9.0	625	2+
			Means		.498		93.4		0.95	8.6 - 9.4	3 nights	

TABLE II. (continued)

ADS	Others	Comp.	α 1900 δ	1957	t	θ	Eyes	ρ	Est. Mag.	Power	Seeing
16242	β 711		$22^{\text{h}}40^{\text{m}}5 +10^{\circ}40'$	.498	-2.4	2.3	:	1.92	10.0 - 12.0	625	2+
				.512	-1.5	5.2	:	1.66	10.0 - 12.0	625	2+
				Means	.505	3.8		1.79	10.0 - 12.0	2 nights	
16428	O Σ 483		22 54. 2 +11 12	.485	-1.7	267.6	..	0.65	6.5 - 7.5	625	2+
				.498	-2.1	271.9	..	0.65	6.2 - 7.2	625	2+
				.512	-1.5	273.3	..	0.79	6.5 - 7.8	625	2+
				Means	.498	270.9		0.70	6.4 - 7.5	3 nights	
16538	O Σ 489		23 4. 7 +74 51	.485	-1.6	306.6	:	0.58	5.0 - 7.0	625	2+
				.498	-2.4	300.6	..	0.58	5.0 - 7.0	625	2+
				.512	-1.4	299.6	..	0.49	5.0 - 6.5	625	3
				Means	.498	302.3		0.55	5.0 - 6.8	3 nights	
16665	β 80		23 13. 8 + 4 52	.485	-1.6	291.8	..	1.46	9.0 - 9.8	625	2+
				.498	-2.2	288.6	..	1.23	8.8 - 9.8	625	2+
				.512	-1.4	292.4	..	1.34	8.8 - 9.8	625	3
				Means	.498	290.9		1.34	8.9 - 9.8	3 nights	
16836	β 720		23 29. 0 +30 47	.498	-2.1	61.1	..	0.52	6.0 - 6.4	625	2+
				.512	-1.5	61.3	..	0.55	6.0 - 6.3	625	3+
				Means	.505	61.2		0.54	6.0 - 6.3	2 nights	
16957	AGC 14		23 39. 0 +28 49	.498	-2.1	227.9	..	0.95	5.0 - 8.0	625	2
				.512	-1.5	234.1	..	0.95	5.0 - 8.0	625	3
				Means	.505	231.0		0.95	5.0 - 8.0	2 nights	
17149	Σ 3050		23 54. 4 +33 10	.498	-2.2	274.6	:	1.53	6.7 - 7.0	625	2
				.512	-1.6	273.4	:	1.53	7.0 - 7.2	625	3
				Means	.505	274.0		1.53	6.9 - 7.1	2 nights	

CONFIRMATION OF NEGLECTED VARIABLES IN SAGITTARIUS

BY DORRIT HOFFLEIT

Maria Mitchell Observatory, Nantucket, Mass.

Received September 23, 1957

Abstract. Over 250 magnitude estimates have been made for each of 20 previously unconfirmed or incompletely observed variable stars in Sagittarius; 14 new long periods have been derived. Two of the stars are confirmed as being Algol-type, although their periods could not be ascertained from the material at hand. Three appear to be irregular: the observations of one of them, V348 Sgr, previously cataloged as R CrB type, are plotted in Figure 1.

In *Harvard Bulletin* 838, 1926, Ida E. Woods published a list of 25 variable stars she had discovered in an approximately $10^{\circ} \times 10^{\circ}$ area in Sagittarius, Variable Star Field 193, centered at $18^{\text{h}}24^{\text{m}}$, -23° . Of these stars only six have since found their way into the *General Catalogue of Variable Stars*. The six include two Mira-type stars, HV 3963 (V510 Sgr) and HV 3964 (GO Sgr); one 13-day classical Cepheid, HV 3984 (V802 Sgr); one designated as of R Coronae Borealis type, HV 3976 (V348 Sgr); and another, HV 3967 (IK Sgr), catalogued as "SR?" For a seventh star on the list, HV 3968, the period has only recently been published (Hoffleit 1957).

With the exception of the four stars for which periods have been published, all of the variables listed by Miss Woods have been examined on over 250 Harvard plates taken with the 10-inch Metcalf triplet and the 24-inch Bruce refractor. The published declination of HV 3974 must be erroneous as the position given falls considerably outside the area of the plates Miss Woods examined. In all the other cases (Table I) the variability reported by her is strongly verified, as are her statements that two of the stars, HV 3962 and 3981, are probably eclipsing of the Algol type, and that the majority of the others appear to be long period variables.