FURTHER OBSERVATORY REPORTS (1966-67)

Flower and Cook Observatory, University of Pennsylvania, Philadelphia, Pennsylvania

Personnel. Dr. Benjamin S. P. Shen was appointed Associated Professor of Astronomy and Astrophysics effective 1 July 1966. At the Tenth International Conference on Cosmic Rays of the International Union of Pure and Applied Physics held at Calgary, Canada, he was made secretary of a new *ad hoc* group on cosmic-ray nuclear cross sections. At the direction of the University Council, Dr. Shen made a study of the coordination of the space-related programs at the University of Pennsylvania. He continues to serve on the guest staff at Brookhaven National Laboratory. Dr. Robert H. Koch was appointed Associate Professor of Astronomy effective 1 July 1967. Dr. William M. Protheroe received a Guggenheim Fellowship and left for a year's work at the Mount John University Observatory operated jointly by the Universities of Pennsylvania and Canterbury. Dr. Charles P. Olivier continued to serve as President of the American Meteor Society. Dr. F. B. Wood continued as Secretary of Section D (Astronomy) of the American Association for the Advancement of Science. In the activities of the International Astronomical Union, he continued on the Organizing Committee of Commission 42 (Etoiles Doubles Photometriques) and continued as Chairman of the committee on International Co-Ordinated Programs. He also chaired the organizing committee for the Joint Discussion on "Close Binaries and Stellar Evolution" held at the 13th General Assembly of the IAU in Prague. Dr. Wood continued to serve as Visiting Professor in the program administered by the American Astronomical Society.

Kam-Ching Leung and William Nalesnik were awarded Zaccheus Daniel Fellowships. Carlson Chambliss and Leung each returned from a year's work at the Mount John Observatory in New Zealand. Chambliss was awarded a Fulbright Fellowship to work at the Mount Stromlo Observatory of the Australian National University; Leung spent three months at the La Plata and Cordoba Observatories. Observing assistants were George W. Wolf, Christopher Fang, Anthony Galatola, Edward F. Guinan, Il-Seong Nha, John Sievers, and Hassan Jamshidpour. Edward J. Devinney continued as assistant on the solar eclipse program.

At the Mount John Observatory, in addition to Dr. Protheroe's work, Allen Thomas continued work on the completion of an atlas which will represent an extension of the well-known Lick Atlas to the south celestial pole, and will overlap with it on zones which can be reached from both observatories. Ian M. Paterson continued work on the

joint program with the Bamberg Observatory for discovery, classification and determination of light elements and light curves of southern variable stars. Ulrich Kohler from Bamberg joined him in this work and also plans photoelectric observations of selected eclipsing systems. F. M. Bateson continued visual estimates of variable stars. Dr. Noel Doughty, of the University of Canterbury, is planning with his students photoelectric photometry of eclipsing systems.

A committee consisting of members both from the University of Canterbury and the University of Pennsylvania has been established to administer and to direct the work of this observatory.

Instrumentation. A prolonged study previously made of the random and systematic errors of the Pierce-Blitzstein dual-channel pulse-counting photometer has led to the development of observational and reduction methods which minimize the effects of variable atmospheric extinction, resolving time, channel drifts, etc. The dual system is now operational for the observation of variable stars. It has been found that about 50% more observations per unit time are possible as compared to single-channel operation, the standard deviation of single determination of a magnitude difference is somewhat smaller, and satisfactory observations can be made under sky conditions unsuitable for single-channel operation.

Čerenkov light sources have been adopted as standards for the photometers at Flower and Cook Observatory. One using 20 μC of Sr 90 has been installed in the Elbow photometer. Its operating position is adjustable and has been set to give maximum response of the photocell. This minimizes the variation of cell response with position of the source. In the case of the Pierce-Blitzstein photometer position adjustment was difficult so the 100 μC Sr 90 Čerenkov source is used with a flashed opal glass diffuser which also minimizes the effect of positional variations.

Instrumentation has been purchased for the purpose of setting up a facility for testing and studying the characteristics of radiation detectors of use to astronomers. This will be part of the Optics laboratory in the new quarters of the astronomy department.

A set of apparatus has been developed to permit accurate measurement of the gain step ratios of direct current photometer amplifiers. This involves an adjustable low-current high-impedance source of stable output along with a Leeds and Northrup millivolt potentiometer that reads the output of the amplifier under test. Adjacent step ratios can be read with an accuracy of ± 0.001 .

Commercially available machinery and other apparatus have been ordered to equip the machine, electrical and optical shops or laboratories in the new quarters to be occupied during the next academic year.

George P. McCook and Nalesnik, under the supervision of Dr. Blitzstein, each completed construction of a photoelectric photometer. One is to be used at Villanova University and one at the University of Delaware in programs coordinated with the graduate work at Pennsylvania.

At the Mount John Observatory, Dr. Protheroe spent much time in improving the mechanical and optical features of the 16-in. reflector. Its operation is now greatly improved and considerably more observations per unit time can be obtained. A photoelectric photometer for use with the 10½-in. was also completed. The digitized, automatic recording photometer previously constructed by Alan Petty continued to function satisfactorily. The mounting and drive of the cameras loaned by Dr. Strohmeier are still functioning only partially successfully, but by using great care in guiding satisfactory plates are being taken.

Scientific Programs. Dr. Olivier continued to direct the programs of the American Meteor Society. Dr. Shen continued work in laboratory nuclear astrophysics, especially astrophysically relevant spallation reactions and the nuclear cascade in thick media. In collaboration with K. O'Brien and R. Sanna, he made measurements of the angle and energy distributions of fast neutrons emitted by carbon, aluminum, and copper bombarded by 1-GeV protons at the Brookhaven National Laboratory. He presented a paper entitled "Some Accelerator Experiments of Cosmic-Ray Interest" at the Tenth International Conference on Cosmic Rays. In collaboration with William F. Schmitt, he initiated calculations of the nuclear cascade induced by cosmic rays. In collaboration with Dr. Robert C. Good, Jr., Dr. Shen completed a study on the use of atmospheric nuclear cascade data in high-energy shielding (*GE Tech. Rept. TIS-R66SD43*; 1966). Dr. Eva Novotny made calculations pertaining to flash spectrum reductions and worked on a stellar interiors computer program. Dr. Blitzstein, aided by Wolf, carried out the instrumental studies described in the section on instrumentation. Dr. Protheroe and Devinney had partial success at the Bage, Brazil, site during the 13 November 1966 solar eclipse. They obtained blue and near ultraviolet spectra with a cine-camera on film of extended dynamic range. Pan American Airlines had misplaced the rest of the eclipse equipment which was not received until too late to get ready for the eclipse. Brazilian eclipse authorities reported that about a dozen of some 26 American eclipse shipments were somewhat simi-

larly delayed. Dr. L. Binnendijk discussed photoelectric observations of OO Aql and continued general studies of W UMa systems. Dr. Wood and Dr. George E. McCluskey of Lehigh University jointly prepared a paper on certain unusual types of eclipsing systems.

At the Flower and Cook Observatory, photoelectric photometry, chiefly of eclipsing systems continued. Guinan used the 28-in. telescope to obtain photoelectrically *U*, *B*, and *V* observations of CW Cep and EU Tau. Formerly the latter had been classified as W UMa type star. However, a complete light curve from observations on 15 nights showed the star to be a classical Cepheid with a period of 2.1025 days.

Wolf and Jamshidpour also made observations of SX Cas with the 15-in.; these were made as part of the international collaborative program coordinated by Dr. Koch. In addition, Wolf made dual-photometry studies under the supervision of Dr. Blitzstein and also made three-color observations of RS CVn. This latter is one of the "program" stars of relatively long period which is being systematically observed by various observers using the same equipment until a complete light curve can be obtained. Sievers used the 28½-in. to obtain three-color observations of CW Cep and S Cnc (two other "program" stars) and two-color (*B*, *V*) observations of TV Cas. Devinney used the 28-in. for two-color observations of Z Dra and W UMi. In each case, a complete light curve has been obtained and Devinney is now working on the solution. Nha also made observation of CW Cep and RS CVn with the 28-in. and aided in the reduction of S Cnc.

Galatola continued his three-color photoelectric photometry of the irregular variable R CrB. He is also working on a theoretical study concerning the nature of the light variation.

The photographic programs at the Mount John Observatory have already been summarized in the section on personnel. Working photoelectrically, Dr. Protheroe has essentially completed observations of U Sco, RS Sgr, ε CrA, V Pup, and S Ant in the normal *U*, *B*, *V* filters and three interference filters centered at the *U*, *B*, *V* filters and three interference filters centered at the *U*, *B*, *V* effective wavelengths for the purpose of getting improved limb darkening data.

Leung secured photoelectric observations of HD 162724 and BH Cen at the La Plata Observatory, and spectroscopic observations of HD 162724 and BV 544 at the Cordoba Observatory.

Working at Mt. Stromlo and the Siding Spring Observatory, Chambliss finished the radial velocity curve of BV 430. He also obtained about 500 *U*, *B*, and *V* observations of the delta Scuti type star, HD 116994 discovered by Dr. K. Y. Chen. The

period was found to be 0^d102 with the usual phase shifts and amplitude variation. The amplitude in yellow had the unusually large value of 0^m25 . Chambliss also has a few spectrophotometric scans and one coudé plate of δ Librae. He has completed his observational work on AU Pup, which shows a definite decrease of period.

General. In January 1967, the Observatory hosted the Symposium on High Energy Nuclear Reactions in Astrophysics. About 70 specialists from the U. S. and abroad attended the one-day symposium, which was organized at the initiative of Dr. Shen and cosponsored by the American Astronomical Society. Dr. Wood served as the AAS representative on the symposium committee. The invited papers presented at the symposium formed the basis of several of the articles contained in the volume entitled *High Energy Nuclear Reactions in Astrophysics*, edited with an introduction by B. S. P. Shen (W. A. Benjamin, Inc., New York, 1967).

FRANK BRADSHAW WOOD, *Director*

University of Illinois Observatory, Urbana, Illinois

Personnel. The permanent senior staff consisted of Dr. G. C. McVittie, Dr. S. P. Wyatt, Dr. K. M. Yoss, Dr. J. R. Dickel, Dr. E. C. Olson, Dr. J. B. Kaler, and Mr. K. S. Yang. Dr. Helene R. Dickel, Dr. H. S. Wendker and Dr. Rolf Stabell were Research Associates. Dr. G. W. Swenson, Jr., was on leave of absence at the National Radio Astronomy Observatory, where he was engaged on the development of the very-large-array radio telescope. There were 19 graduate students registered for higher degrees in astronomy during the year.

New Facilities. (a) The contract for construction of the 40-in. reflector was awarded to Astro Mechanics, Inc., of Austin, Texas, in the late summer of 1966. Completion date is June 1968. The telescope will have two Cassegrain focal ratios ($f/7.6$ and $f/13.5$) and a coudé focal ratio of $f/33$. A flat-field photographic attachment with offset guiding will be available. The photoelectric photometer developed by E. C. Olson also will be used at the Cassegrain focus. A digital system for controlling the telescope position and drive has been developed by Astro Mechanics and substituted for the originally specified analogue system. The new system will have digital readout and will permit presetting of the telescope position.

Bids for the building to house the telescope were received and construction will start in early July 1967, with completion in late spring, 1968. The building will have a movable observing floor and a coudé room large enough for a 9-in. beam spectrograph. Also available are a darkroom, two bed-

rooms, a kitchen, and a combination library and workroom.

For additional protection from wind, dust, and lights, 25 000 pine seedlings have been planted at the north and south ends of the observatory site (the east and west ends are already adequately protected).

Bids for the Cassegrain spectrograph were received. The spectrograph, a duplicate of the Kitt Peak 84-in. spectrograph, will have a 6-in. camera and offset guiding. The spectrograph should be completed by early summer, 1968.

(b) In April 1967 the National Science Foundation granted \$125 000 and the University, \$59 244, for the erection of a partly steerable 120-ft paraboloid radio telescope. It is to be used in conjunction with the 400-ft parabolic cylinder to form an interferometer. This will greatly improve the accuracy with which the positions of radio sources can be fixed. The drawings for the new instrument have been made by the Stanford Research Institute. Construction at the Vermilion River Observatory will begin in the summer of 1967 and will be carried out mainly by our personnel under the direction of Arno Schriefer (Civil Engineer).

(c) The addition to the Observatory in Urbana was occupied in February 1967. Staff and graduate students are now adequately housed; three new laboratories provide much needed space for the construction of apparatus; and the departmental library is also now properly housed.

Research Activities. (1) G. C. McVittie, working with Rolf Stabell (Research Associate) and Michael Cahill (Graduate student), has continued the analysis of the motions of spherically symmetric distributions of matter. McVittie and Stabell also analyzed the effects on the absolute luminosities of quasi-stellar sources of choosing different models of the universe. Stabell has completed an investigation of models of the universe in which the pressure is different from zero. Cahill, as part of the work for his Ph.D. thesis, has developed a method for fitting the internal description of the physical state of a spherical mass to an external region which is a vacuum. A second graduate student, R. R. Ringenberg, is working under McVittie's direction on the problem of the "background radiation" received from all unresolved sources in the universe.

(2) S. P. Wyatt has continued investigation at a reduced pace on the interrelationships between comets and the zodiacal cloud. Chief work has concerned models of the distribution of expanding gas and expanding dust grains in the comas of comets, as well as the adequacy of comets as a source of supply of small solid grains to maintain the zodiacal cloud that is centered on the sun.

Under Wyatt's direction, L. V. Standeford has been working on a doctoral thesis that is concerned

with the effects of the interplanetary magnetic field on the orbits of electrically charged interplanetary grains. Preliminary results suggest that magnetic forces do not play as significant a role in governing the configuration of the zodiacal cloud as some authors have thought.

Wyatt's collaboration with K. L. Hallam and C. L. Wolff of the National Aeronautics and Space Administration in an experiment on the Orbiting Geophysical Observatories to determine the nature of the counter glow, or gegenschein, has in effect ended with the failure of OGO-B to achieve a stabilized attitude in its orbit around the earth. No further repetitions of this experiment are now planned by NASA.

(3) K. M. Yoss has been processing on the computer the digitized spectrographic data for several hundred standard stars used in establishing absolute magnitude criteria. Prior to this processing it was found that a number of punching errors existed in the punched cards. The data therefore were transferred to magnetic tape (six reels were required) and the errors corrected, for both standard and program stars. The final result to be derived from these data, obtained from David Dunlap Observatory spectrograms, will be space velocities of approximately 800 late-type stars. Over 100 absorption lines will be used in the spectral and luminosity classifications. In addition, the CN absorption (which is a composition index) is measured in three ways in an attempt to improve the correlation with composition. A new program for automatic classification of spectral and luminosity classes for objective prism spectra has been started, using continuous mode digitization. T. L. Lutz (Graduate student) continues as half-time research assistant on this work.

A raster-scan device is being added to the microphotometer, to permit conversion of digitized data to isophote maps. The offset unit is complete, while the automatic reversal for the microphotometer drive has been designed by K. S. Yang (Research Engineer). Plans for conversion from paper to magnetic tape also are under way.

(4) J. R. Dickel and H. S. Wendker have been in charge of the sky-survey observations at 610.5 MHz with the 400-ft telescope at the Vermilion River Observatory (VRO) which are progressing well. The second tenth of the catalogue of radio sources has been completed and a list of 625 sources is in press. A preliminary list for the third tenth is currently being checked. Observations have started on the fourth section. The statistical studies of the distribution of the sources and their spectra, by comparison with other catalogues, are continuing.

K. S. Yang (Research Engineer) is rebuilding the digital data acquisition system from the radio telescope in order to improve the accuracy and

reliability of the system. The computer programming for the new system is being done primarily by H. R. Dickel, R. C. Cooley (Graduate student), and D. L. Ball (Undergraduate). The digitizing effort is being supported by the National Science Foundation under grant GP-6576. Yang and G. W. Swenson, Jr., have published a paper describing the detailed electronic and instrumental capabilities of the VRO telescope.

Wendker is continuing his studies of the Cygnus X complex of gaseous nebulae with observations both at the VRO and also as a guest investigator at the National Radio Astronomy Observatory. By making observations at several frequencies, he has determined the spectra and physical properties of several nebulae. One paper is in press and another, primarily on the North America Nebula, is in preparation. H. R. Dickel has compared various radio and optical data for several gaseous nebulae in order to determine better the physical parameters of these objects. She has also developed a computer program for the automatic construction of contour maps of extended objects. J. Dickel has continued to search the VRO source list for interesting galactic radio sources including gaseous nebulae and supernova remnants. Several of these have been investigated at other wavelengths during visits to the National Radio Astronomy Observatory by him and by J. Erkes (Graduate student). In particular, the spectral features and emission distribution of the supernova remnant HB21 are being investigated by Erkes in order to determine the evolution of this object.

Wendker is investigating the over-all continuum radiation from our Galaxy by a careful analysis of the VRO records, and J. Dickel has observed that from the nearby galaxy M31 at NRAO.

J. Dickel completed the analysis of some 6-cm observations of both Venus and Jupiter and has published papers on the radio spectra of both planets.

(5) J. B. Kaler has continued the study of the spectra of gaseous nebulae. Work on the identification and intensities of spectrum lines was completed for two more nebulae, and the observations of several others were being reduced. A catalogue of nebular spectral lines has been compiled and is being used to improve the identifications of faint lines.

Work has also continued on the problem of the hydrogen and helium line intensities that do not agree with the theoretical predictions. Paul Lee (Graduate student) has found that the anomalies are present to very high principal quantum number. Kaler and Lee find that the optically observed anomalies are related to a similar problem involving radio observations, and that the deviations from theory are correlated with turbulence. Kaler and